



MAHAVEERA TRANSPORT PVT. LTD.

FLEET OWNERS & TRANSPORT CONTRACTORS

CIN. - U74899DL1985PTC019998

Regd. Office : C-1/14, IInd Floor, Behind Ambica Society, Prashant Vihar, Rohini, Delhi - 110085

Ph. Off.: 27557771-2-3 Fax : 27557775 • e-mail : rj@mahaveeratransport.com • Visit us at : www.mahaveeratransport.com

Khatauni Number 297-300, Village Malpura, NH-8, Opp. Hero Factory, Dharuhera-123401, Distt. Rewari (Haryana)
Mobile : 09311232370, 1, 5, 6

To

Mahindra Truck and Bus Division

New Delhi

Sub: - Acknowledgment/Testimonial letter for Blazo-25

We, M/s Mahaveera TPT Pvt. Ltd. Delhi are having **31 No's Truxo-25, 30 No's Blazo-25, 20 No's Traco-40 & 12 No's Blazo-40** in our fleet which plies on Gurgaon- Bechraji , Gurgaon to Hyderabad & Gurgaon to Kerla route with rated Load MLO/Car Carrier Application.

We would like to appreciate the support provided by whole Mahindra team in establishing the vehicle. Our observation is that Mahindra vehicle delivers better Fuel Economy than any other competition vehicle in same segment. Mahindra team has conducted a Standalone trial of my vehicle to establish the mileage in which it has performed as per my expectation.

Model	Total km	Diesel top up	Mileage	Reg. No	GVW Ton	Pay Load Ton	Un laden Ton	Route
Blazo-25	3250	728.65	4.46 KMPL	HR47C-9788	19.73/19.6	9.23/9.1	10.5	Gurgaon-Bhopal-Hyderabad-Bhopal-Gurgaon
Blazo-25	2766	576.84	4.73 KMPL	HR47C-9658	19.06	8.56	10.5	Kochi-Gurgaon
Blazo-25	2127	389.18	5.46 KMPL	HR47C-9861	13.5/10.5/23.72	3/0/13.22	10.5	Gurgaon-Bechraji-Vadodra-Gurgaon
Blazo-25	2166.4	394.36	5.49 KMPL	HR47C-2299	13.5/10.5/23.93	3/0/13.43	10.5	Gurgaon-Bechraji-Vadodra-Gurgaon

Apart from FE, the vehicle is also having god pickup and cabin comfort adds extra advantage in the vehicle.



Recently we has organized B2B Trial of Blazo-25/TML-25 & Found Blazo-25 mileage is superior over TML-2518.

I would definitely like to add few more Mahindra vehicles in my fleet and recommend to my fellow transporters also.



For M/s Mahaveera TPT. Pvt. Ltd.





Value Establish Sign off sheet

Value Establishment engineers Name		Amin Solanki		Dealership's name and Location		IP-Delhi		Trial start date	05-Nov-17	Trial end date	09-Nov-17				
Model with Power	Route		GVW (T)	Payload (T)		Start Kms/hrs	End Kms/hrs	Distance Covered	Fuel (Ltrs)	Fuel Avg	Trip Avg-speed				
Blazo-25	Dharuhera to Bechraji		13.5	3 Ton		59304.3	60173.9	869.6	138.01	6.30 KMPL	47 KMPH				
Road details	NH (%)	92%	SH (%)	Single (%)		8%	Rough / Pot holes (%)	Ghat (kms)							
Trial Remarks	Light Mode Used in Total Journey from Dharuhera to Bechraji														
Customer's Profile	Name		Mr. RK Jain												
	Organization		M/s Mahaveera Transport												
	Location		Dharuhera												
	Phone (Off. / Res.)		9350583976/9311232375												
Driver profile	Driver's Name		Mr. Anil Kumar/Mr. Ravinder/Mr. Bhag Singh												
	Customer's / MTBD		Customer/MTBD												
	Prior experience		15yrs/18yrs/30yrs												
	Trained By Company		Yes												
Mahindra Vehicle details	Model with engine Power		Blazo-25 (260 HP)		Gearbox(6S/9S)	6S	Veh Regd no.		HR47C-9861						
	Chassis no.		H6A47531		Rear Axle ratio	4.31	Engine no.		EAGZL18622						
Competition vehicle detail	Model with engine Power		NA		Gearbox(6S/9S)	NA	Veh Regd no.		NA						
	Chassis no.		NA		Rear Axle ratio	NA	Engine no.		NA						
Application details	TO BE SAME FOR Mahindra & Competition vehicle		Haulage Tipper/Bulker Tractor Trailer Tanker/Refer Container	Container	load/Material carried	MSIL Vendors Parts	load body dimensions LXBWX	32*12.5*8	Load	Yes					
	Vehicle unladen weight (T)		10.5				Trailer / Tipper make / year		Container						
Tyre details	Tyre Make(Front & Rear)		appolo		Tyre Size - PR		10.20.16 PR								
	Tyre type(Radial/CP/TL)		Radial		Tyre pressure		120 Bar								
	Tyre Condition during trial		ok		Avg. tread height (mm)		ok								
Customer Remark on FE establishment															
Customer/Fleet Manager Signature & Remarks				Trial Driver Signature & Remarks				Dealer representative Signature & Remarks				Mahindra representative Signature & Remarks			
Thrilled		Very happy		Happy											
															



Value Establish Sign off sheet

Value Establishment engineers Name		Amin Solanki		Dealership's name and Location		IP-Delhi		Trial start date	09-Nov-17	Trial end date	11-Nov-17
Model with Power	Route		GVW (T)	Payload (T)	Start Kms/hrs	End Kms/hrs	Distance Covered	Fuel (Ltrs)	Fuel Avg	Trip Avg. speed	
Blazo-25	Dharuhera to Bechradi		10.5	0	60174.1	60448.1	274	35.21	7.78 KMPL	39 KMPH	
	BECHRADI TO LIMDA										
Road details	NH (%)	79%	SH (%)		Single (%)	21%	Rough / Pot holes (%)		Ghat (kms)		
Trial Remarks	Light Mode Used in Total Journey from Bechradi to Vadodra-appollo tyre plant										
Customer's Profile	Name		Mr. RK Jain								
	Organization		M/s Mahaveera Transport								
	Location		Dharuhera								
	Phone (Off. / Res.)		9350583976/9311232375								
Driver profile	Driver's Name		Mr. Anil Kumar/Mr. Ravinder/Mr. Bhag Singh								
	Customer's / MTBD		Customer/MTBD								
	Prior experience		15yrs/18yrs/30yrs								
	Trained By Company		Yes								
Mahindra Vehicle details	Model with engine Power		Blazo-25 (260 HP)	Gearbox(6S/9S)	6S	Veh Regd no.		HR47C-9861			
	Chassis no.		H6A47531	Rear Axle ratio	4.31	Engine no.		EAGZL18622			
Competition vehicle detail	Model with engine Power		NA	Gearbox(6S/9S)	NA	Veh Regd no.		NA			
	Chassis no.		NA	Rear Axle ratio	NA	Engine no.		NA			
Application details	TO BE SAME FOR Mahindra & Competition vehicle		Haulage Tipper/Bulker Tractor Trailer Tanker/Refer Container	Container	load/Material carried	MSIL Vendors Parts	load body dimensions LXBWX	32*12.5*8	Load	Yes	
	Vehicle unladed weight (T)		10.5			Trailer / Tipper make / year		Container			
Tyre details	Tyre Make(Front & Rear)		appollo			Tyre Size - PR		10.20.16 PR			
	Tyre type(Radial/CP/TL)		Radial			Tyre pressure		120 Bar			
	Tyre Condition during trial		ok			Avg. tread height (mm)		ok			
Customer Remark on FE establishment											
Customer/Fleet Manager Signature & Remarks				Trial Driver Signature & Remarks			Dealer representative Signature & Remarks			Mahindra representative Signature & Remarks	
Thrilled		Very happy		Happy					 23/11/18 93476882		
											



Value Establish Sign off sheet

Value Establishment engineers Name		Amit Sofanki		Dealership's name and Location		IP-Delhi		Trial start date	11-Nov-17	Trial end date	13-Nov-17
Model with Power	Route		GVW (T)	Payload (T)	Start Kms/hrs	End Kms/hrs	Distance Covered	Fuel (Ltrs)	Fuel Avg	Trip Avg. speed	
Blazo-25	Vadodra to Dharuhera		23.72	13.22	60448.1	61431.5	983.4	215.96	4.55 KMPL	44 KMPH	
Road details		NH (%)	86%	SH (%)	Single (%)	2%	Rough / Pot holes (%)		Ghat (kms)	12%	
Trial Remarks		Maximum run in light mode, heavy mode used only in ghat section (around 130 km run in heavy mode-Shamlaji to Udaipur)									
Customer's Profile		Name	Mr. RK Jain								
		Organization	M/s Mahaveera Transport								
		Location	Dharuhera								
		Phone (Off. / Res.)	9350583976/9311232375								
Driver profile		Driver's Name	Mr. Anil Kumar/Mr. Ravinder/Mr. Bhag Singh								
		Customer's / MTBD	Customer/MTBD								
		Prior experience	15yrs/18yrs/30yrs								
		Trained By Company	Yes								
Mahindra Vehicle details		Model with engine Power	Blazo-25 (260 HP)	Gearbox(6S/9S)	6S	Veh Regd no.	HR47C-9861				
		Chassis no.	H6A47531	Rear Axle ratio	4.31	Engine no.	EAGZL18622				
Competition vehicle detail		Model with engine Power	NA	Gearbox(6S/9S)	NA	Veh Regd no.	NA				
		Chassis no.	NA	Rear Axle ratio	NA	Engine no.	NA				
Application details		TO BE SAME FOR Mahindra & Competition vehicle	Haulage Tipper/Bulker Tractor Trailer Tanker/Refer Container	Container	load/Material carried	MSIL Vendors Parts	load body dimensions LXBWX	32*12.5*8	Load	Yes	
		Vehicle unladed weight (T)	10.5				Trailer / Tipper make / year	Container			
Tyre details		Tyre Make(Front & Rear)	appolo			Tyre Size - PR	10.20.16 PR				
		Tyre type(Radial/CP/TL)	Radial			Tyre pressure	120 Bar				
		Tyre Condition during trial	ok			Avg. tread height (mm)	ok				
Customer Remark on FE establishment											
Customer/Fleet Manager Signature & Remarks				Trial Driver Signature & Remarks			Dealer representative Signature & Remarks			Mahindra representative Signature & Remarks	
Thrilled	Very happy	Happy									
											

Value Establish Sign off sheet

Value Establishment engineers Name		Amin Solanki		Dealership's name and Location		IP-Delhi		Trial start date	09-Nov-17	Trial end date	12-Nov-17
Model with Power	Route		GVW (T)	Payload (T)	Start Kms/hrs	End Kms/hrs	Distance Covered	Fuel (Ltrs)	Fuel Avg	Trip Avg-speed	
Blazo-25 (260 HP)	Bechraji to Vadodra appolo tyre plant		10.5	0	65066.4	65344.8	278.4	37.46	7.43 KMPL	39 KMPH	
Road details	NH (%)	79%	SH (%)		Single (%)	21%	Rough / Pot holes (%)		Ghat (kms)		
Trial Remarks	Light Mode Used in Total Journey from Bechraji to Vadodra-appolo tyre plant										
Customer's Profile	Name		Mr. RK Jain								
	Organization		M/s Mahaveera Transport								
	Location		Dharuhera								
	Phone (Off. / Res.)		9350583976/9311232375								
Driver profile	Driver's Name		Mr. Asraf/Mr. Raees/Mr. Bimlesh Shukla/Mr. MD Naim								
	Customer's / MTBD		Customer/Customer/MTBD/MTBD								
	Prior experience		10yrs/2yrs/15yrs/30yrs								
	Trained By Company		yes								
Mahindra Vehicle details	Model with engine Power		Blazo-25 (260 HP)		Gearbox(6S/9S)	6s	Veh Regd no.		HR47C-2299		
	Chassis no.		G6L48048		Rear Axle ratio	4.31	Engine no.		EAGZL18617		
Competition vehicle detail	Model with engine Power		NA		Gearbox(6S/9S)	NA	Veh Regd no.		NA		
	Chassis no.		NA		Rear Axle ratio	NA	Engine no.		NA		
Application details	TO BE SAME FOR Mahindra & Competition vehicle		Haulage Tipper/Bulker Tractor Trailer Tanker/Refer Container	Container	load/Material carried	MSIL Vendors parts	load body dimensions LXBW	32*12.5*8	Load	yes	
	Vehicle unladen weight (T)		10.5				Trailer / Tipper make / year		Container		
Tyre details	Tyre Make(Front & Rear)		MRF-L/appolo- -s	MRF-R/appolo-L			Tyre Size - PR		10.20.16 PR		
	Tyre type(Radial/CP/TL)		Radial/Radial	Radial/Radial			Tyre pressure		120 Bar		
	Tyre Condition during trial		ok	ok			Avg. tread height (mm)		ok		
Customer Remark on FE establishment											
Customer/Fleet Manager Signature & Remarks			Trial Driver Signature & Remarks			Dealer representative Signature & Remarks			Mahindra representative Signature & Remarks		
Thrilled	Very happy	Happy									
											

Value Establish Sign off sheet

CC	Value Establishment engineers Name		Amin Solanki		Dealership's name and Location		iP-Dehri		Trial start date	05-Nov-17	Trial end date	09-Nov-17
	Model with Power	Route		GVW (T)	Payload (T)	Start Kms/hrs	End Kms/hrs	Distance Covered	Fuel (Ltrs)	Fuel Avg	Trip Avg. speed	
	Blazo-25 (260 HP)	Dharuhera to Bechraji		13.5	3	64186.9	65066.4	879.5	142.64	6.16 KMPL	47 KMPL	
	Road details	NH (%)	92%	SH (%)		Single (%)	8%	Rough / Pot holes (%)		Ghat (kms)		
	Trial Remarks	Light Mode Used during complete journey from Dharuhera to Bechraji										
Customer's Profile	Name		Mr. RK Jain									
	Organization		M/s Mahaveera Transport									
	Location		Dharuhera									
	Phone (Off. / Res.)		9350583976/9311232375									
Driver profile	Driver's Name		Mr. Asraf/Mr. Raees/Mr. Bimlesh Shukla/Mr. MD Naim									
	Customer's / MTBD		Customer/Customer/MTBD/MTBD									
	Prior experience		10yrs/2yrs/15yrs/30yrs									
	Trained By Company		yes									
Mahindra Vehicle details	Model with engine Power		Blazo-25 (260 HP)		Gearbox(6S/9S)	6s	Veh Regd no.		HR47C-2299			
	Chassis no.		G6L48048		Rear Axle ratio	4.31	Engine no.		EAGZL18617			
Competition vehicle detail	Model with engine Power		NA		Gearbox(6S/9S)	NA	Veh Regd no.		NA			
	Chassis no.		NA		Rear Axle ratio	NA	Engine no.		NA			
Application details	TO BE SAME FOR Mahindra & Competition vehicle		Haulage Tipper/Bulker Tractor Trailer Tanker/Refer Container	Container	load/Material carried	MSIL Vendors parts	load body dimensions LXBWX	32*12.5*8	Load	yes		
	Vehicle unladen weight (T)		10.5				Trailer / Tipper make / year		Container			
Tyre details	Tyre Make(Front & Rear)		MRF-L/appolo-	MRF-R/appolo-L			Tyre Size - PR		10.20.16 PR			
	Tyre type(Radial/CP/TL)		Radial/Radial	Radial/Radial			Tyre pressure		120 Bar			
	Tyre Condition during trial		ok	ok			Avg. tread height (mm)		ok			
Customer Remark on FE establishment												
Customer/Fleet Manager Signature & Remarks				Trial Driver Signature & Remarks			Dealer representative Signature & Remarks			Mahindra representative Signature & Remarks		
Thrilled	Very happy	Happy										
												

Value Establish Sign off sheet

CC	Value Establishment engineers Name		Amin Solanki		Dealership's name and Location		IP-Delhi		Trial start date	12-Nov-17	Trial end date	13-Nov-17
	Model with Power	Route		GVW (T)	Payload (T)	Start Kms/hrs	End Kms/hrs	Distance Covered	Fuel (Ltrs)	Fuel Avg	Trip Avg. speed	
	Blazo-25 (260 HP)	Vadodra to Dharuhera		23.93	13.43	65344.8	66353.3	1008.5	214.26	4.70 KMPL	40 KMPH	
	Road details	NH (%)	86%	SH (%)	Single (%)	2%	Rough / Pot holes (%)		Ghat (kms)	12%		
	Trial Remarks	Maximum run in light mode, heavy mode used only in ghat section (around 130 km run in heavy mode-Shamlaji to Udaipur)										
Customer's Profile		Name	Mr. RK Jain									
		Organization	M/s Mahaveera Transport									
		Location	Dharuhera									
		Phone (Off. / Res.)	9350583976/9311232375									
Driver profile		Driver's Name	Mr. Asraf/Mr. Raees/Mr. Bimlesh Shukla/Mr. MD Naim									
		Customer's / MTBD	Customer/Customer/MTBD/MTBD									
		Prior experience	10yrs/2yrs/15yrs/30yrs									
		Trained By Company	yes									
Mahindra Vehicle details		Model with engine Power	Blazo-25 (260 HP)		Gearbox(6S/9S)	6s	Veh Regd no.		HR47C-2299			
		Chassis no.	G6L48048		Rear Axle ratio	4.31	Engine no.		EAGZL18617			
Competition vehicle detail		Model with engine Power	NA		Gearbox(6S/9S)	NA	Veh Regd no.		NA			
		Chassis no.	NA		Rear Axle ratio	NA	Engine no.		NA			
Application details		TO BE SAME FOR Mahindra & Competition vehicle	Haulage Tipper/Bulker Tractor Trailer Tanker/Refer Container	Container	load/Material carried	MSIL Vendors parts	load body dimensions LXBWX	32*12.5*8	Load	yes		
		Vehicle unladed weight (T)	10.5					Trailer / Tipper make / year		Container		
Tyre details		Tyre Make(Front & Rear)	MRF-L/appolo	MRF-R/appolo-L			Tyre Size - PR		10.20.16 PR			
		Tyre type(Radial/CP/TL)	Radial/Radial	Radial/Radial			Tyre pressure		120 Bar			
		Tyre Condition during trial	ok	ok			Avg. tread height (mm)		ok			
Customer Remark on FE establishment												
Customer/Fleet Manager Signature & Remarks			Trial Driver Signature & Remarks			Dealer representative Signature & Remarks			Mahindra representative Signature & Remarks			
Thrilled	Very happy	Happy							