

## TRUCK BADLO, TAQDEER BADLEGI

Car FURIO

NAYA

FURI**Ø** A

India's Most Profitable Truck

JYADA MILEAGE NAHIN TO TRUCK WAPAS\* INDIA'S FIRST LCV WITH 6720 mm (22 FT) LB IN 6 TYRES 6107 mm (20 FT) LB IN 4 TYRES

GET A 36-HOUR GUARANTEED TURNAROUND AT OUR WORKSHOP OR GET ₹3,000.00 PER DAY\*

FURIO 8

GET BACK ON THE ROAD IN 48 HOURS OR GET ₹1,000.00 PER DAY\*.

Dia mall



'Terms & conditions apply. For more details, please visit: www.mahindratruckandbus.com

## TRUCK BADLO FOR MORE MILEAGE. TAQDEER BADLEGI WITH EVERY KILOMETRE.

With higher mileage, the FURIO 8 saves you money on every trip. It's powered by Mahindra's FuelSmart technology and proven Bosch ATS — making it India's most fuel-efficient truck in its class. And if it doesn't deliver as promised, return the truck.

Mahindra



- FuelSmart Technology switch for Load/Empty mode
- Bosch ATS system

## TRUCK BADLO FOR A LONGER DECK. TAQDEER BADLEGI WITH EVERY EXTRA LOAD.

#### Carry more. Earn more.

With multiple load body options — including a segment-first 6107 mm (**20 Ft**) 4 tyre and 6720 mm (**22 Ft**) 6 tyre deck — the **FURIO 8** lets you fit more into ever 2135 mm (**7 Ft**) internal width and best-in-class volumetric capacity, and you've got a truck that grows your revenue with every run.



#### **Key Highlights:**

- Segment-first 6107 mm (20 Ft) & 6720 mm (22 Ft) deck options
- Application specific load body 3745 mm (12 Ft), 4282 mm (14 Ft), 5195 mm (17 Ft), 6107 mm (20 Ft) 6720 mm (22 Ft)
- Wider 2135 mm (7 Ft) internal load body
- Lower loading platform height





## TRUCK BADLO FOR BIGGER CABIN. TADEER BADLEGI WITH COMFORTABLE DRIVE.

The FURIO 8 cabin is built around the driver — because a better ride leads to a better day. With AC cabin, wider visibility, tilt & telescopic steering, and sleeping provision, it's truly designed for India's roads and drivers.

#### **Key Highlights**

- Safest cabin: Meets AIS 029 crash norms
- Dual chamber Headlamps & Fog lamps
- 1.85m Furio AC Cabin with blower control & higher head Room
- Fabric seats, sleeping provision\*
- 12V Power socket, LED cabin lamp
- Energy-absorbing cabin mounts

## TRUCK BADLO FOR UNSTOPPABLE POWER. TAQDEER BADLEGI WITH EVERY TRIP.

Equipped with a powerful mDi Tech engine, 3.5L 4 Cylinder BSVI OBD2 with Fuel Smart Technology, the FURIO 8 handles gradients, loads, and highways with ease. Its proven best-in-class aggregates ensures long life, low breakdowns, and high uptime.

#### **Key Highlights**

- Best-in-class power: 91.5kW @ 2500 r/min
- 375 Nm @1300 to 2000 rpm

Metalic Cabin & Bumper Higher Head room & Walk Through Cabin 4 Way Adjustable Driver Seat

AC Switch with Blower control




## TRUCK BADLO FOR INTELLIGENT INSIGHTS. TAQDEER BADLEGI WITH EVERY ALERT.

With iMAXX, Mahindra's most advanced telematics platform, you don't just drive — you drive smart. Track mileage, monitor driver behaviour, detect fuel theft, schedule services, and reduce downtime — all from your phone or desktop.

#### **Key Highlights:**

- 1-year free subscription
- Location Tracking & Geofencing
- Fuel / Ad-blue Theft Monitoring
- Vehicle Health Monitoring
- Summary Reports
- Vehicle Alerts Pro
- Driver Performance Analytics
- Fleet Performance Dashboard
- Service Reminders & Alerts
- Predictive Alerts
- Fuel / AdBlue Pilferage
- Driver Score-Card
- Vehicle to Vehicle Comparison



**FUEL AND ADBLUE ANALYSIS** 

### TRUCK BADLO FOR PEACE OF MIND. TAQDEER BADLEGI WITH HIGHER UPTIME.

FURIO 8 comes with Mahindra's Double Service Guarantee. If we can't get you back on the road in time, we'll compensate you because your uptime is our priority. Plus, you enjoy one of the lowest maintenance costs in the segment.

#### **Key Highlights**

- 36-hour workshop TAT or ₹3000.00/day\*
- 48-hour uptime guarantee or ₹1000.00/day\*
- Lower scheduled maintenance cost
- 36 months unlimited km transferable warranty
- 40000 km service interval

10.01 2. 16 1

## Specifications

Model	Furio 8 (4Tyre)	Furio 8 (6Tyre)						
Engine	mDi Tech, 3.5L 4 Cylinder BSVI OBD2 with Fuel Smart Technology							
Power	91.5kW @ 2500 r/min							
Torque	Torque 375 Nm @1300 to 2000 r/min							
Clutch	Single Plate Dry with 310 mm Diameter							
Transmission	MNT 40 (5 + 1) Cable Shift FGR: 5.75							
Cabin	1.85m Furio AC Cabin with blower control							
Brake Type	Air Brakes							
Battery	12V, 100 Ah							
Cargo Body Variants	CBC, HSD							
Chassis	200 mm x 60 mm x 5 mm							
Fuel Tank	75 L - Metallic Tank - 3745 mm <b>(12 Ft)</b> 120 L - Metallic tank - 4282 mm <b>(14 Ft)</b> , 5195 mm <b>(17 Ft)</b> , 6107 mm <b>(20 Ft)</b> , 6720 mm <b>(22 Ft)</b>							
Ad Blue Tank	13L							
GVW	7490 kg							
FAW	3665 kg	2850 kg						
RAW	3825 kg	4640 kg						
Tyres	Front & Rear: 8.25 R 16 16PR	Front & Rear: 7.5 R 16 16PR						
Cargo Body	3745 mm <b>(12 Ft)</b> , 4282 mm <b>(14 Ft)</b> , 5195 mm <b>(17 Ft)</b> , 6107 mm <b>(20 Ft)</b>	3745 mm <b>(12 Ft)</b> , 4282 mm <b>(14 Ft)</b> , 5195 mm <b>(17 Ft)</b> , 6107 mm <b>(20 Ft)</b> 6720 mm <b>(22 Ft)</b>						
Suspension	Front & Rear : Semi elliptic leaf spring with Anti Roll Bar at Front	Front & Rear : Semi elliptic leaf spring						
Ground Clearance	215 mm	205 mm						
Gradeability	34.50%	35.20%						

# Applications Parcel & Logistics E-Commerce Fruits & Vegetables Auto Components





Agri Produce

Industrial Goods

## Special Applications

**FMCG** 







Note: In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not part of the standard equipment. Colour shades shown may vary. E. & O.E.

Wheelbase - Load Bo	dv 3320 mm - 33	745 mm (12 Ft)	38	50 mm - 4282 mm (1	4 Ft)	3850 mm - 51	.95 mm (17 Ft)	4350 mm - 61	L07 mm (20 Ft)	4800 mm - 67	720 mm (22 Ft*)
TCD	1	08 m	14.86 m			14.86 m		16.54 m		18.05 m	
Variants	CBC	HSD	CBC	HSD	Container	CBC	HSD	CBC	HSD	CBC	HSD
	<b>~</b> _~		<b>~</b> _~		and the second s	<b></b>	<b>.</b>	<b>~</b>		<b></b>	<b>,</b>
Cargo Body Dimension (mm)	) NA	3745 x 2135 x 1745	NA	4282 x 2135 x 1745	4270 x 2135 x 2135	NA	5195 x 2135 x 1745	NA	6107 x 2135 x 1745	NA	6720 x 2135 x 1745
Overall Dimensions (mm)	5595 x 1960 x 2415	5680 x 2236 x 2885	6140 x 1960 x 2415	6210 x 2236 x 2885	6342 x 2275 x 3365	6895 x 1960 x 2415	7125 x 2236 x 2885	7795 x 1960 x 2415	8040 x 2236 x 2885	8400 x 1960 x 2395	8640 x 2236 x 2865

\*22 Ft (6720 mm) Load body is only available with 6-Tyre.















